

L Number	Hits	Search Text	DB	Time stamp
-	163	713/182.ccls. and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:22
-	29457	person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:54
-	2021191	(access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	75	(713/182.ccls. and @ad<20000821) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 09:46
-	9881	encrypt\$ and decrypt\$ and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	25	((713/182.ccls. and @ad<20000821) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5))) and (encrypt\$ and decrypt\$ and server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	16303	(person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:46
-	2029	((person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5))) and (encrypt\$ and decrypt\$ and server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:46
-	681	((person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5))) and (encrypt\$ and decrypt\$ and server)) and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:46
-	0	713/\$.ccls. and 380/\$.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:47
-	0	713/.ccls. and 380/.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:48

-	27525	713/\$.ccls. or 380/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:54
-	29457	person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:57
-	2021191	(access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	9881	encrypt\$ and decrypt\$ and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:55
-	394	(713/\$.ccls. or 380/\$.ccls.) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:25
-	1568	(request\$ or ask\$ or query\$) with person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 13:58
-	44	((713/\$.ccls. or 380/\$.ccls.) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821) and ((request\$ or ask\$ or query\$) with person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:30
-	1156	((request\$ or ask\$ or query\$) with person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and @ad>19970821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:26
-	215	((713/\$.ccls. or 380/\$.ccls.) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821) and @ad>19970821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:26
-	118	((713/\$.ccls. or 380/\$.ccls.) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821) and @ad>19980821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:26

-	12	((713/\$.ccls. or 380/\$.ccls.) and (person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase")) and ((access\$5 or utiliz\$5 or enter\$5 or use or using or read\$5 or writing or write) with (control\$5 or configur\$5 or design\$5 or parameter\$5)) and (encrypt\$ and decrypt\$ and server) and @ad<20000821) and @ad>19980821) and ((request\$ or ask\$ or query\$) with person\$ with (key or password or passphrase or "pass word" or "pass phrase" or "pass-word" or "pass-phrase"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:27
-	16646	access with digital with data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:32
-	418	header with (correspond\$ or associat\$ or incorporat\$) with (key or password or passphrase or "pass word" or "pass-word" or "pass phrase" or "pass-phrase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:36
-	66841	server with request\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:36
-	15	(access with digital with data) and (header with (correspond\$ or associat\$ or incorporat\$) with (key or password or passphrase or "pass word" or "pass-word" or "pass phrase" or "pass-phrase")) and (server with request\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/12 14:37
-	6	((("5436972") or ("5557765") or ("5590199")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 07:52
-	53	5590199.URPN.	USPAT	2004/04/13 09:46
-	10	5590199.URPN. and header	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 09:46
-	8	(5590199.URPN. and header) and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:52
-	769	header with key with encrypt\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:52
-	358	(header with key with encrypt\$) and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:52
-	263091	access\$5 with control\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:53
-	182	(access\$5 with control\$5) and ((header with key with encrypt\$) and @ad<20000821)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 10:53

-	384932	access.ab. or accessing.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:54
-	62	((access.ab. or accessing.ab.) and ((access\$5 with control\$5) and ((header with key with encrypt\$) and @ad<20000821))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:54
-	327877	digital with data	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:55
-	27	((access.ab. or accessing.ab.) and ((access\$5 with control\$5) and ((header with key with encrypt\$) and @ad<20000821))) and (digital with data)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 10:55
-	2	("5590199").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 13:24
-	2	("5499298").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 13:24
-	0	("L33and(controlwithkey)").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 13:25
-	1	((("5499298").PN.) and (control\$5 with key)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/13 13:25
-	2	("5499298").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 08:22
-	0	("authenticationwithserver").PN.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 08:22
-	11307	authentication with server	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 08:22
-	3359	(authentication with server) and @ad<20000821	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 11:40
-	327877	digital with data	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 08:23
-	656	((authentication with server) and @ad<20000821) and (digital with data)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 08:23

-	5707	key and ticket and access\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:24
-	95	((authentication with server) and @ad<20000821) and (digital with data)) and (key and ticket and access\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:24
-	384932	access.ab. or accessing.ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 08:25
-	34	((authentication with server) and @ad<20000821) and (digital with data)) and (key and ticket and access\$5) and (access.ab. or accessing.ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:28
-	2	("5200999").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:29
-	2	("5590199").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:31
-	4	((("6098056") or ("6105131")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 10:31
-	1	((("6098056") or ("6105131")).PN.) and "third party"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:34
-	4	((("6282653") or ("6011847")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:40
-	511	PGP and privacy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:40
-	206	(PGP and privacy) and @ad<20000821	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:40
-	104	((PGP and privacy) and @ad<20000821) and access and key and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:41
-	10	((PGP and privacy) and @ad<20000821) and access and key and password) and group and (passphrase or "pass phrase" or (pass with phrase) or "pass-phrase")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:42
-	87	((PGP and privacy) and @ad<20000821) and access and key and password) and encrypt\$ and decrypt\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/14 11:43

-	32	(((((PGP and privacy) and @ad<20000821) and access and key and password) and encrypt\$ and decrypt\$) and (digital with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 11:45
-	16	(((((PGP and privacy) and @ad<20000821) and access and key and password) and encrypt\$ and decrypt\$) and (digital with data)) and (authenticat\$5 with server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 11:45
-	14	(((((PGP and privacy) and @ad<20000821) and access and key and password) and encrypt\$ and decrypt\$) and (digital with data)) and (authenticat\$5 with server)) and "third party"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/14 11:46